

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);
?>
<html>
<head>
<title>Bobby Tables</title>
</head>
<body>
<h3>Student Listing</h3>
<?php
try {
    // grab connection details
    require("/Users/classes/cs230a/mysql_config.php");

    // connect to MySQL database and set some configurations
    $dbh = new PDO("mysql:host=localhost", $mysql_user, $mysql_pw);
    $dbh->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $dbh->setAttribute(PDO::ATTR_PERSISTENT, false);
    $dbh->query("USE ".$mysql_db); // selects the database to use

    // check for form values -- if present, add to table
    if ($_POST) {
        echo "<p>Form values detected.</p>";
        //foreach ($key in array_keys($_POST)) {
        //    echo $key." ";
        //}
        $query = "INSERT INTO Students(grade,name) VALUES (".$_POST['sgrade']
            .", '".$_POST['sname']."' );";
        echo $query;
        echo "<br>";
        $dbh->query($query);
    } else {
        echo "<p>No form values detected.</p>";
    }

    // now try a query
    $results = $dbh->query("SELECT * FROM Students;");
    if (!$results) {
        // if there is something wrong with the query $results will be false
        echo "Query error!";
    } else {
        // otherwise we can proceed to process the results

```

```

// begin with some HTML to set up a table...
echo '<table border="1" cellpadding="1">';
echo '<tr><th>Name</th><th>Grade</th></tr>';

// now loop through the results line by line
foreach($results as $row) {
    $name = $row['name'];
    $grade = $row['grade'];
    printf("<tr><td>%s</td><td>%s</td></tr>\n", $name, $grade);
}

// finish the table
echo "</table>";
}
} catch(PDOException $e) {
    // this code will run in case of a connection glitch
    echo "Database access problem:<br />";
    echo $e->getMessage();
}
?>
<hr>
<h3>Add a Student</h3>
<form method="post" action="bobbytables.php">
<p><label for="sname">Name: </label>
<input type="text" name="sname"></p>
<p><label for="sgrade">Grade: </label>
<select name="sgrade">
<option value="9">9</option>
<option value="10">10</option>
<option value="11">11</option>
<option value="12">12</option>
</select></p>
<button type="submit">Add</button>
</form>
<hr>

<p><a href="setupstudents.php">Reset table</a></p>
</body>
</html>

```